









Facade:


mage not to und or type unknown


Facade 2:

mage not found or type unknown

Layout:














A	A1 GENERAL	
Width interior/exterior 3,2/4,1 Height interior/exterior 2,45/3 Area 14,40 Number of beds - Number of bedrooms - Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS - Leveling Feet 0,1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR X Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS X Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X		4 5/5 6
Height interior/exterior 2,45/3 Area 14,40 Number of beds - Number of bedrooms - Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS - Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR - Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS - Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X	-	
Area 14,40 Number of beds - Number of bedrooms - Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS - Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR - Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS - Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X		
Number of bedrooms - Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS - Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR - Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS X Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X		
Number of bedrooms - Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS - Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR - Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS - Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X		- 1,10
Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X		_
Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS Leveling Feet Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR Carpet Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X		_
Transport width 2 Transport height 0,9 B1 CHASSIS Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR Carpet 0 Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X		_
Transport width 2 Transport height 0,9 B1 CHASSIS Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR Carpet 0 Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X	Transport length	2,5
Transport height 0,9 B1 CHASSIS Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X		
B1 CHASSIS Leveling Feet O, 1-2% Subframework of spruce wood X Anchoring kit O B2 FLOOR Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X		0,9
Leveling Feet O, 1-2% Subframework of spruce wood X Anchoring kit O B2 FLOOR Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X		,
Subframework of spruce wood X Anchoring kit O B2 FLOOR Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system	B1 CHASSIS	
Anchoring kit O B2 FLOOR Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system	Leveling Feet	O, 1-2%
B2 FLOOR Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system	Subframework of spruce wood	X
Carpet Larchwood boards floor B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) Interior canvas TenCate Campshield FR2 290g/m2 (FR) Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system	Anchoring kit	0
Larchwood boards floor B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 Roof canvas TenCate Campshield FR1 420g/m2 (FR) Interior canvas TenCate Campshield FR2 290g/m2 (FR) Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system	B2 FLOOR	
B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system	Carpet	0
Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system	Larchwood boards floor	X
Roof canvas TenCate Campshield FR1 420g/m2 (FR) Interior canvas TenCate Campshield FR2 290g/m2 (FR) Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system	B3 EXTERIOR WALLS	
Interior canvas TenCate Campshield FR2 290g/m2 (FR) Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system	Construction poles Pinewood KVH 60 x 100	X
Window with mosquito net Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X	Roof canvas TenCate Campshield FR1 420g/m2 (FR)	0
Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X	Interior canvas TenCate Campshield FR2 290g/m2 (FR)	0
Mosquito net for entrance opening X Pad lock system X	Window with mosquito net	Χ
Pad lock system X	Front entrance opening section on zipper	Χ
·	Mosquito net for entrance opening	X
Master key for pad lock system O	Pad lock system	Χ
	Master key for pad lock system	0
Winter cover O	Winter cover	0
Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Interior canvas Subrenat CAMP420PC 2I 420g/m2	X
Roof Subrenat CAMP420PC 2I 420g/m2 X	Roof Subrenat CAMP420PC 2I 420g/m2	X

E1 EXTERIOR EQUIPMENT





Canopy over entrance	X
Terrace floor 4000x1000 mm	0



Legal Notice

The information on this website is provided "as is" and without warranty of any kind, expressed or implied, including (but not limited to) any implied warranties of merchantability and non- infringement of third party rights. While the information provided is believed to be accurate, it may include errors or inaccuracies. In no event shall Adria Home be liable to any person for any special, indirect or consequential damages relating to this material, unless caused by gross negligence or intentional misconduct. The purpose of this website is illustrative. The website may show vizuals which may include some elements not belonging to the standard equipment or portray products which may not be available in all markets. Products may change in terms of technical specification and commercial details and in relation to specific regulations. You are advised to always contact your selected Adria representative to obtain all detailed information prior to purchasing.

Copyright

Copyright © Adria Home Ltd., Črnomelj, Slovenia 2019-20. All rights reserved. The text, images, graphics, sound files, animation files, video files, and their arrangement on the Adria Home website are all subject to copyright and other intellectual property protection. These objects may not be copied for commercial use or distribution, nor may these objects be modified or reposted to other sites. Adria Home website may contain images whose copyrights are attributable to third parties.

Adria Home Ltd.

Kanižarica 135, SI-8340 Črnomelj, Slovenija, Tel: +386 (0) 7 35 69 100 E-mail: info@adria-home.com

adria-home.com, www.adria-holidays.net

#AdriaHome #AdriaGlamping







